

Safety Data Sheet

K-FLEX 360 INSULATED PIPE SUPPORT

1. IDENTIFICATION

- 1.1. Product Identifier
Article/Mixture identification:
Trade name: K-FLEX 360 INSULATED PIPE SUPPORT
Shape: Support with/without collar
Trade code: 800-PH
- 1.2. Relevant identified uses of the article/mixture and uses advised against
Recommended use:
Pipe supports
- 1.3. Details of the supplier of the information sheet:
Company:
K-Flex
100 K Flex Way, Youngsville, NC 27596
Phone: 800-765-6475
Competent person responsible for the information sheet:
info@kflexusa.com
- 1.4. Emergency telephone number
In case of accident, locate the nearest antipoison centres in the following link:
WHO <http://apps.who.int/poisoncentres/>
-

2. HAZARDS IDENTIFICATION

- 2.1. Classification of the article:
The finished product consisting of a specially designed pipe support it is not considered dangerous and has no risk factors under the conditions of its use.
It is an article according to REACH Regulation n. 1907/2006/CE and 2001/60/CE, it contains no substances included in Candidate List SVHC in quantities $\geq 0.1\%$ (w/w). Thus, it does not require a full SDS, according to Regulation 1907/2006/CE.
- Adverse physicochemical, human health and environmental effects:
No other hazards
- 2.2. Label elements
Symbols:
None
Hazard statements:
None
Precautionary statements:
None
Special Provisions:
None
- 2.3. Other hazards
PBT / vPvB substance: none
-

3. COMPOSITION / INFORMATION ON INGREDIENTS

- 3.1. Substances
Identification of the substance:
Not Available.
- 3.2. Article/Mixtures:
Articles of specially designed pipe support in different shapes and dimensions.

Safety Data Sheet

K-FLEX 360 INSULATED PIPE SUPPORT

4. FIRST AID MEASURES

4.1. Description of first aid measures

In case of skin contact:

During the processing of the product the contact with skin is unlikely. Use protective gloves.
The product has also no special risks related to its use.

In case of eyes contact:

During the processing of the product the contact with eyes is unlikely. The contact with the eyes can occur through contaminated hands or dust.

Rinse immediately with plenty of water and seek medical advice.

The product has also no special risks related to its use.

In case of ingestion:

Due to the particular shape of the product, is unlikely that the swallow occurs. The contact with the mouth can occur through contaminated hands or dust.

The product has also no special risks related to its use.

In case of Inhalation:

During the processing of the product, inhalation of particles and dust is unlikely.

The product has also no special risks related to its use.

4.2. Most important symptoms and effects, both acute and delayed

No known symptoms to date.

4.3. Indication of any immediate medical attention and special treatment needed

Treatment:

No known treatment to date.

5. FIRE FIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO₂). Chemical dry powder. Water spray.

Extinguishing media which must not be used for safety reasons:

No data available.

5.2. Special hazards arising from the substance or mixture

Burning smoke and fumes of carbon oxide (CO), carbon dioxide (CO₂), sulphur dioxide (SO₂) and alogens (Br, Cl).

5.3. Advice for fire-fighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Move undamaged containers from immediate hazard area if it can be done safely.

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

The product does not present any particular risk for the environment, however, do not allow to enter into soil/subsoil and the runoff into surface water or drains as a waste.

Retain contaminated washing water and dispose it.

In case of run-off into waterways, soil or drains as a waste, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

Washing avoiding penetration of the pigments supported by the film into soil/subsoil, the runoff into surface water or drains.

Suitable material for taking up: absorbing material, organic, sand.

Safety Data Sheet

K-FLEX 360 INSULATED PIPE SUPPORT

- Wash with compatible material
- 6.4. Reference to other sections
See also section 8 and 13

7. HANDLING AND STORAGE

- 7.1. Precautions for safe handling
The product can be handled without special precautions in the conditions required for its use.
However, avoid contact with skin and eyes through contaminated hands or dust.
Contaminated clothing should be changed before entering eating areas.
Do not eat or drink while working.
See also section 8 for recommended protective equipment.
- 7.2. Conditions for safe storage, including any incompatibilities
Storage class (Germany only): LGK 13 non-flammable solid.
Keep away from food, drink and feed.
Incompatible materials:
Strong oxidizers and acids.
Instructions as regards storage premises:
Adequately ventilated premises.
- 7.3. Specific end use(s)
Pipe supports

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

- 8.1. Control parameters
None.
DNEL Exposure Limit Values
Not Available.
PNEC Exposure Limit Values
Not Available.
- 8.2. Exposure controls
Eye protection:
Goggles. Operate according good working practices.
Protection for skin:
Full suite. Operate according good working practices.
Protection for hands:
Disposable gloves. Operate according good working practices.
Respiratory protection:
Prolonged exposure to dust may irritate lungs. Wear a dust mask, class P2, is advisable.
Anyway, operate according good working practices.
Thermal Hazards:
Self-extinguishing.
Environmental exposure controls:
Local exhaust and general ventilation.

9. PHYSICAL AND CHEMICAL PROPERTIES

- 9.1. Information on basic physical and chemical properties
Appearance: solid
Odour: characteristic
Melting point: not applicable
Water solubility: insoluble
Density: 30-350
Decomposition temperature: >200°C

Safety Data Sheet

K-FLEX 360 INSULATED PIPE SUPPORT

- 9.2. Other information
None
-

10. STABILITY AND REACTIVITY

- 10.1. Reactivity
Stable under normal conditions.
- 10.2. Chemical stability
Stable under normal conditions.
- 10.3. Possibility of hazardous reactions
Reaction may occur with strong oxidizing agent.
- 10.4. Conditions to avoid
Eliminate ignition sources.
- 10.5. Incompatible materials
Strong mineral acids (nitric acid, hydrochloric acid, sulfuric acid, hydrofluoric acid), bromine, chlorine, hydrogen peroxide, aniline, benzene, chloroform, Freon 11, fuel FAM, carbon tetrachloride, trichloroethylene and xylene (reaction moderate or intensive).
Avoid contact with strong oxidants
- 10.6. Hazardous decomposition products
Decomposition products in case of fire: carbon oxide (CO), carbon dioxide (CO₂), and alogens (Br, Cl).
-

11. TOXICOLOGICAL INFORMATION

- 11.1. Information on toxicological effects
Toxicological information of the article:
Not Available.
- If not differently specified, the information required in Regulation 453/2010/EC listed below must be considered as not available:
- a) acute toxicity;
 - b) skin corrosion/irritation;
 - c) serious eye damage/irritation;
 - d) respiratory or skin sensitisation;
 - e) germ cell mutagenicity;
 - f) carcinogenicity;
 - g) reproductive toxicity;
 - h) STOT-single exposure;
 - i) STOT-repeated exposure;
 - j) aspiration hazard.
-

12. ECOLOGICAL INFORMATION

- 12.1. Toxicity
Adopt good working practices, so that the product is not released into the environment as a waste.
Ecotoxicological information of the article:
Not Available.
- 12.2. Persistence and degradability
Not Available.
- 12.3. Bioaccumulative potential
Not Available.
- 12.4. Mobility in soil
Not Available.
- 12.5. Results of PBT and vPvB assessment
None
-

Safety Data Sheet

K-FLEX 360 INSULATED PIPE SUPPORT

- 12.6. Other adverse effects
None known to date.

13. DISPOSAL CONSIDERATIONS

- 13.1. Waste treatment methods
Waste disposal according to local waste disposal regulation.
Preferably waste disposal in landfill (solid waste).
For this product incineration is not recommended (due to the release of decomposition products) .
List I of Directive 76/464/EEC: Water pollution by discharges of certain dangerous substances.
Directive 80/68/EEC: on the protection of groundwater against pollution caused by certain dangerous substances.

14. TRANSPORTATION INFORMATION

- 14.1. UN number
Not classified as dangerous in the meaning of transport regulations.
- 14.2. UN proper shipping name
Not classified as dangerous in the meaning of transport regulations.
- 14.3. Transport hazard class(es)
Not classified as dangerous in the meaning of transport regulations.
- 14.4. Packing Group
Not classified as dangerous in the meaning of transport regulations.
- 14.5. Environmental hazards
Not classified as dangerous in the meaning of transport regulations.
- 14.6. Special Precautions for User
Not classified as dangerous in the meaning of transport regulations.
- 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
Not classified as dangerous in the meaning of transport regulations.

15. REGULATORY INFORMATION

- 15.1. Safety, health and environmental regulations/legislation specific for the article/mixture
Regulation (EC) n. 1907/2006 (REACH)
Regulation (EC) n. 1272/2008 (CLP)
Directive (EC) n. 1999/45
Regulation (EC) n. 790/2009 (ATP 1 CLP)
Regulation (EU) n. 453/2010 (Annex I)
Regulation (EU) n. 286/2011 (ATP 2 CLP)
Regulation (EU) n. 618/2012 (ATP 3 CLP)

Where applicable, refer to the following regulatory provisions :

Directive 76/464/EEC: Water pollution by discharges of certain dangerous substances
Directive 80/68/EEC: on the protection of groundwater against pollution caused by certain dangerous substances

VOC Regulations:

French Regulation DEVL1101903: VOC emission class A+
Compliance of AgBB/DIBt German Requirement of 2012.

Compliance of the Belgium Royal Decree to the indoor environment from construction product of 2012

Safety Data Sheet

K-FLEX 360 INSULATED PIPE SUPPORT

15.2. Chemical Safety Assessment
No

16. OTHER INFORMATION

Based on the information received from suppliers, the product is an article according to REACH Regulation No. 1907/2006/CE and 2001/60/CE. It contains no substances included in Candidate List SVHC (Substances of Very High Concern) in quantities $\geq 0.1\%$ (w/w). Thus, according to Regulation No. 1907/2006/CE, a full MSDS (Material Safety Data Sheet) is not necessary and it cannot be issued for articles free of SVHC substances

According to Article 33 of the REACH Regulation No. 1907/2006, any changes regarding the presence of SVHC will be promptly notified.

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECHA database
GESTIS Database
ACGIH Publication of 2012

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.
CAS: Chemical Abstracts Service (division of the American Chemical Society).
CLP: Classification, Labeling, Packaging.
DNEL: Derived No Effect Level.
GHS: Globally Harmonized System of Classification and Labeling of Chemicals.
IATA: International Air Transport Association.
ICAO: International Civil Aviation Organization.
IMDG: International Maritime Code for Dangerous Goods.
LC50: Lethal concentration, for 50 percent of test population.
LD50: Lethal dose, for 50 percent of test population.
PNEC: Predicted No Effect Concentration.
LGK: Storage classes (Germany only)
RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL: Short Term Exposure limit.
STOT: Specific Target Organ Toxicity.
TLV: Threshold Limiting Value.
TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).
WGK: German Water Hazard Class.