

K-FLEX USA TECHNICAL BULLETIN INDEX

- TA00** K-Flex USA Technical Bulletins Index - Numeric
- TA01** Recommended Tools for K-Flex Elastomeric Insulation Installation
- TA02** Installation Techniques for-Flex Insulation Products
- TA03** Insulating ELLS and P-Traps with K-Flex Elastomeric Insulation
- TA04** K-Flex Duct Liner Gray for Duct and Air Handling Unit (AHU) Applications
- TA05** Use of K-Flex Elastomeric Insulation Products on Stainless Steel
- TA06** Use of K-Flex Insulation Products for Freeze Protection
- TA07** Protective Coating for K-Flex Insulation
- TA08** High Temperature Use Limits for K-Flex Elastomeric Insulation
- TA09** Insulating Difficult Shapes with K-Flex Elastomeric Insulation
- TA10** Underground Applications of K-Flex Elastomeric Insulation
- TA11** Protecting K-Flex Elastomeric Insulation at Pipe Hangers
- TA12** Shelf Life of K-Flex Insulation Products and Accessories
- TA13** Relationship Between K-Flex USA, Rubatex / RBX and Halstead
- TA14** Recommended Adhesives for Use with K-Flex Sheet and Roll Insulation Products
- TA15** Use of Competitive Adhesives with K-Flex Elastomeric Insulation
- TA17** K-Flex Elastomeric Insulation ID's
- TA18** Adhering K-Flex Elastomeric Insulation to Cellular Glass Insulation
- TA19** K-Flex Duct liner Gray Acceptable Air Flow Rate in a Plenum
- TA20** Installing K-Flex Elastomeric Insulation in Cold Weather
- TA21** K-Flex Duct Liner Gray and Air Duct Cleaning
- TA24** Use of Heat Trace Tapes with K-Flex Elastomeric Insulation
- TA25** Benefits of K-Flex S2S Elastomeric Sheets and Rolls
- TA27** Comparison of K-Flex Elastomeric Insulation to Fiberglass Insulation
- TA28** Insulating Large Diameter Pipe with K-Flex Sheet Insulation
- TA29** Installation of K-Flex Clad AL and Clad WT Sheet Insulation
- TA30** Comparison of K-Flex Elastomeric Insulation to Rock Wool Insulation
- TA31** Comparison of K-Flex Elastomeric Insulation to Polystyrene Insulation
- TA32** Comparison of K-Flex Elastomeric Insulation to Polyisocyanurate Insulation
- TA33** Comparison of K-Flex Elastomeric Insulation to Cellular Glass Insulation
- TA34** Firestopping for K-Flex Elastomeric Insulation
- TA 36** Effects of Temperature Spikes on K-Flex Insulation Products
- TA37** Effects of Operating Temperatures on K-Flex Elastomeric Insulation Products
- TA39** K-Flex USA UL Greenguard Certification
- TA40** Minimum Bending Radius for K-Flex Sheet Insulation Products
- TA42** K-Flex Compliance with Restriction of Hazardous Substances Regulations
- TA43** K-Flex Pipe Covering IDs and Actual Pipe ODs
- TA44** Effect of UV Sterilization Equipment in Ducts and AHUs on K-Flex Elastomeric Insulation
- TA46** Surface Preparation when Using K-Flex Sheet with PSA
- TA47** Use of K-Flex Pipe Covering with Press On Fittings
- TA48** Chemical Resistance of K-Flex Elastomeric Insulation
- TA50** K-Flex Sheet for Round and Oval Duct Wrap Indoors
- TA51** Mold Resistance of K-Flex Duct Liner Gray
- TA52** Comparison of K-Flex Duct Liner Gray to Fiberglass Liner
- TA53** K-Flex Duct Liner Gray Mechanical Attachment



- TA54 Effects of Moisture on K-Flex Elastomeric Insulation Performance
- TA55 Recommendations for Installing K-Flex Pre-Formed Large Diameter Pipe Covering
- TA57 Cutting K-Flex Duct liner Gray
- TA60 K-Flex Insulation and CA Title 24 Requirements
- TA61 Adhesive Recommendations for K-Flex ECO
- TA63 White Paper – Protecting K-Flex Elastomeric Insulation from Outdoor Elements
- TA64 K-Flex 320 Contact Adhesive Field Strength and Use
- TA66 K-Flex Acoustic Insulation Applications
- TA67 NBR Versus EPDM Elastomeric Insulation Comparison
- TA68 K-Flex USA Elastomeric Insulation and Brominated Flame Retardants
- TA69 Friction Loss for K-Flex Duct Liner Gray
- TA70 K-Flex USA Contact Adhesive Properties
- TA71 K-Flex Duct Liner Gray Acoustic Properties
- TA72 K-Flex Clad Jacketing Products Versus Competitive Products
- TA73 K-Flex Factory Fabricated Product Advantages
- TA74 Additional Friction Loss Data for K-Flex Duct Liner Gray
- TA75 Use of K-Flex Elastomeric Insulation with VRF Systems
- TA76 Duct Liner Material Selection Considerations
- TA77 Insulating Large Diameter Pipe and Round Duct with K-Flex Elastomeric Sheet Outdoors
- TA78 Lining Round and Oval Duct with K-Flex Duct Liner Gray
- TA79 K-Fonik GV and NRM Acoustic Performance
- TA80 K-Flex Insul-Tube and HT Nesting Size Chart
- TA81 K-Flex ECO Nesting Size Chart
- TA82 K-Flex USA's Position on Accelerated UV Testing
- TA83 K-Flex USA Explains Permeability and Permeance
- TA84 Field Fabricated Elbow K-Flex Sheet Insulation Yields
- TA85 VOC Content of K-Flex Insulation Products
- TA86 K-Flex 374 Protective Coating Coverage Rates 01-17
- TA87 Painting K-Flex Elastomeric Insulation
- TA88 Protecting Pipe Insulation in Compliance with IECC Requirements
- TA89 Treatment of Longitudinal and Transverse Seams when Installing K-Flex Duct Liner Gray
- TA90 K-Flex Compliance with 2018 California Prop 65 Labeling Requirements
- TA92 Comparison K-Flex Duct Liner Gray to Armacell AP Coilflex
- TA93 Comparison K-Flex Duct Liner Gray to Polyethylene Sheet
- TA94 K-Flex USA Elastomeric Insulation Life Expectancy
- TA95 Directional Variability Effect on K-Flex Elastomeric Insulation Physical Properties
- TA96 K-Flex Titan Compliance with CA Title 24 Requirements (2016 ed.)
- TA97 K-Flex PE Polyethylene Insulation Life Expectancy
- TA98 K-Flex Titan Compliance with Florida Mechanical, Residential and Energy Code Requirements
- TA99 K-Flex Titan Compliance with Residential Code Requirements
- TS01 K-Flex Compliance with ASTM C534 Requirements
- TS02 Key Physical Properties of ASTM C534 and K-Flex Performance
- TS04 Fire Test Performance Requirements Applicable to K-Flex Elastomeric Insulation
- TS05 NFPA Requirements and K-Flex Compliance
- TS06 USDA, FDA and CFIA Requirements and K-Flex Compliance
- TS07 K-Flex Insulation Raw Materials
- TS08 FMRC Third Party Supervision of K-Flex Insulation Products
- TS11 K-Flex NBR-PVC Insulation Product R-Values
- TS12 Effect of Mean Temperature on K-Flex K-Factors
- TS13 Calculating K-Flex K-Factor and R-Value



- TS15** UL Third Party Inspection of K-Flex Insulation Products
- TS16** K-Flex Insulation Flame and Smoke Values
- TS17** K-Flex Insulation and Clean Room Applications
- TS18** K-Flex Compliance with Key Physical Properties of ASTM C1534
- TS22** K-Flex NBR-PVC Application on CPVC Piping
- TS23** K-Flex Clad WT and Clad WT NS NSF Approval
- TS24** K-Flex USA Elastomeric Insulation and Accessories Conflict Minerals Content
- TS27** K-Flex Insulation LEED Contribution Guide
- TS28** MIL Spec and Marine Regulation Compliance of K-Flex Insulation Materials
- TS29** Common Conversion Units
- TS30** K-Flex ECO Tubes Surface Area
- TS31** K-Flex USA Insulation Buy American Compliance
- TS32** K-Flex USA Asbestos Free Certification
- TS33** K-Flex Insulation Over PVC Pipe
- TS35** K-Flex Elastomeric Insulation LEED Materials and Manufacturing Credits
- TS36** K-Flex USA Elastomeric Insulation and Accessories Conflict Minerals Content 2019