

K-FLEX USA TECHNICAL BULLETIN INDEX

- TA00 K-Flex USA Technical Bulletins Index - Numeric
- TA01 Recommended Tools for K-Flex Elastomeric Insulation Installation
- TA02 Installation Techniques for-Flex Insulation Products
- TA03 Insulating ELLS and P-Traps with K-Flex Elastomeric Insulation
- TA04 K-Flex Duct Liner Gray for Duct and Air Handling Unit (AHU) Applications
- TA05 Use of K-Flex Elastomeric Insulation Products on Stainless Steel
- TA06 Use of K-Flex Insulation Products for Freeze Protection
- TA07 Protective Coating for K-Flex Insulation
- TA08 High Temperature Use Limits for K-Flex Elastomeric Insulation
- TA09 Insulating Difficult Shapes with K-Flex Elastomeric Insulation
- TA10 Underground Applications of K-Flex Elastomeric Insulation
- TA11 Protecting K-Flex Elastomeric Insulation at Pipe Hangers
- TA12 Shelf Life of K-Flex Insulation Products and Accessories
- TA13 Relationship Between K-Flex USA, Rubatex / RBX and Halstead
- TA14 Recommended Adhesives for Use with K-Flex Sheet and Roll Insulation Products
- TA15 Use of Competitive Adhesives with K-Flex Elastomeric Insulation
- TA17 K-Flex Elastomeric Insulation ID's
- TA18 Adhering K-Flex Elastomeric Insulation to Cellular Glass Insulation
- TA19 K-Flex Duct liner Gray Acceptable Air Flow Rate in a Plenum
- TA20 Installing K-Flex Elastomeric Insulation in Cold Weather
- TA21 K-Flex Duct Liner Gray and Air Duct Cleaning
- TA24 Use of Heat Trace Tapes with K-Flex Elastomeric Insulation
- TA25 Benefits of K-Flex S2S Elastomeric Sheets and Rolls
- TA27 Comparison of K-Flex Elastomeric Insulation to Fiberglass Insulation
- TA28 Insulating Large Diameter Pipe with K-Flex Sheet Insulation
- TA29 Installation of K-Flex Clad AL and Clad WT Sheet Insulation
- TA30 Comparison of K-Flex Elastomeric Insulation to Rock Wool Insulation
- TA31 Comparison of K-Flex Elastomeric Insulation to Polystyrene Insulation
- TA32 Comparison of K-Flex Elastomeric Insulation to Polyisocyanurate Insulation
- TA33 Comparison of K-Flex Elastomeric Insulation to Cellular Glass Insulation
- TA34 Firestopping for K-Flex Elastomeric Insulation
- TA 36 Effects of Temperature Spikes on K-Flex Insulation Products
- TA37 Effects of Operating Temperatures on K-Flex Elastomeric Insulation Products
- TA39 K-Flex USA UL Greenguard Certification
- TA40 Minimum Bending Radius for K-Flex Sheet Insulation Products
- TA42 K-Flex Compliance with Restriction of Hazardous Substances Regulations
- TA43 K-Flex Pipe Covering IDs and Actual Pipe ODs
- TA44 Effect of UV Sterilization Equipment in Ducts and AHUs on K-Flex Elastomeric Insulation
- TA46 Surface Preparation when Using K-Flex Sheet with PSA
- TA47 Use of K-Flex Pipe Covering with Press On Fittings
- TA48 Chemical Resistance of K-Flex Elastomeric Insulation
- TA50 K-Flex Sheet for Round and Oval Duct Wrap Indoors
- TA51 Mold Resistance of K-Flex Duct Liner Gray
- TA52 Comparison of K-Flex Duct Liner Gray to Fiberglass Liner
- TA53 K-Flex Duct Liner Gray Mechanical Attachment
- TA54 Effects of Moisture on K-Flex Elastomeric Insulation Performance
- TA55 Recommendations for Installing K-Flex Pre-Formed Large Diameter Pipe Covering
- TA57 Cutting K-Flex Duct liner Gray

**K-FLEX USA**

100 Nomaco Drive, Youngsville, NC 27596 - p 800 765-6475 - f 800 765-6471

on the web www.kflexusa.com

- TA60** K-Flex Insulation and CA Title 24 Requirements
- TA61** Adhesive Recommendations for K-Flex ECO
- TA63** White Paper – Protecting K-Flex Elastomeric Insulation from Outdoor Elements
- TA64** K-Flex 320 Contact Adhesive Field Strength and Use
- TA66** K-Flex Acoustic Insulation Applications
- TA67** NBR Versus EPDM Elastomeric Insulation Comparison
- TA68** K-Flex USA Elastomeric Insulation and Brominated Flame Retardants
- TA69** Friction Loss for K-Flex Duct Liner Gray
- TA70** K-Flex USA Contact Adhesive Properties
- TA71** K-Flex Duct Liner Gray Acoustic Properties
- TA72** K-Flex Clad Jacketing Products Versus Competitive Products
- TA73** K-Flex Factory Fabricated Product Advantages
- TA74** Additional Friction Loss Data for K-Flex Duct Liner Gray
- TA75** Use of K-Flex Elastomeric Insulation with VRF Systems
- TA76** Duct Liner Material Selection Considerations
- TA77** Insulating Large Diameter Pipe and Round Duct with K-Flex Elastomeric Sheet Outdoors
- TA78** Lining Round and Oval Duct with K-Flex Duct Liner Gray
- TA79** K-Fonik GV and NRM Acoustic Performance
- TA80** K-Flex Insul-Tube and HT Nesting Size Chart
- TA81** K-Flex ECO Nesting Size Chart
- TA82** K-Flex USA's Position on Accelerated UV Testing
- TA83** K-Flex USA Explains Permeability and Permeance
- TA84** Field Fabricated Elbow K-Flex Sheet Insulation Yields
- TA85** VOC Content of K-Flex Insulation Products
- TA86** K-Flex 374 Protective Coating Coverage Rates 01-17
- TA87** Painting K-Flex Elastomeric Insulation
- TA88** Protecting Pipe Insulation in Compliance with IECC Requirements
- TA89** Treatment of Longitudinal and Transverse Seams when Installing K-Flex Duct Liner Gray
- TA90** K-Flex Compliance with 2018 California Prop 65 Labeling Requirements
- TA92** Comparison K-Flex Duct Liner Gray to Armacell AP Coilflex
- TA93** Comparison K-Flex Duct Liner Gray to Polyethylene Sheet
- TA94** K-Flex USA Elastomeric Insulation Life Expectancy
- TA96** K-Flex Titan Compliance with CA Title 24 Requirements (2016 ed.)
- TA97** K-Flex PE Polyethylene Insulation Life Expectancy
- TA98** K-Flex Titan Compliance with Florida Mechanical, Residential and Energy Code Requirements
- TS01** K-Flex Compliance with ASTM C534 Requirements
- TS02** Key Physical Properties of ASTM C534 and K-Flex Performance
- TS04** Fire Test Performance Requirements Applicable to K-Flex Elastomeric Insulation
- TS05** NFPA Requirements and K-Flex Compliance
- TS06** USDA, FDA and CFIA Requirements and K-Flex Compliance
- TS07** K-Flex Insulation Raw Materials
- TS08** FMRC Third Party Supervision of K-Flex Insulation Products
- TS11** K-Flex NBR-PVC Insulation Product R-Values
- TS12** Effect of Mean Temperature on K-Flex K-Factors
- TS13** Calculating K-Flex K-Factor and R-Value
- TS15** UL Third Party Inspection of K-Flex Insulation Products
- TS16** K-Flex Insulation Flame and Smoke Values
- TS17** K-Flex Insulation and Clean Room Applications
- TS18** K-Flex Compliance with Key Physical Properties of ASTM C1534



- TS22** K-Flex NBR-PVC Application on CPVC Piping
- TS23** K-Flex Clad WT and Clad WT NS NSF Approval
- TS24** K-Flex USA Elastomeric Insulation and Accessories Conflict Minerals Content
- TS27** K-Flex Insulation LEED Contribution Guide
- TS28** MIL Spec and Marine Regulation Compliance of K-Flex Insulation Materials
- TS29** Common Conversion Units
- TS30** K-Flex ECO Tubes Surface Area
- TS31** K-Flex USA Insulation Buy American Compliance
- TS32** K-Flex USA Asbestos Free Certification
- TS33** K-Flex Insulation Over PVC Pipe